



HERBICIDE/DEFOLIANT

**COTTON DEFOLIATION**

## Superior Defoliation of Mature and Juvenile Growth

### The Benefits of ET® Herbicide/Defoliant as Part of a Complete Cotton Defoliation Program

- **Reliable leaf drop...** defoliates mature and juvenile foliage without sticking leaves.
- **Fast performance...** allows producers to more accurately time their harvest.
- **Regrowth management...** removes existing regrowth and juvenile foliage.
- **Dries down morningglory...** and other broadleaf weeds for an easier and cleaner harvest.
- **Performs consistently...** across all temperature variables.



2 oz ET + 5 oz Ginstar + 3 pt CottonQuik  
Dos Palos, CA

### Use Recommendations

Program		Rate/Acre	Use Information
Pima	First Shot	ET 0.5 - 2.0 fl oz + ethephon + Ginstar + 0.25% v/v NIS	<ul style="list-style-type: none"> <li>■ ET should be applied in a tankmix with an ethephon product when boll opening is desired.</li> <li>■ ET should be applied when the crop has reached the 60% open boll stage.</li> <li>■ ET should be applied in a minimum finished spray volume of 20 gallons by ground and 5 gallons by air.</li> </ul>
	Second Shot	ET 2.75 fl oz + Gramoxone + 0.25% v/v NIS	
Upland/Acala	First Shot	ET 2.0 fl oz + ethephon + 0.25% v/v NIS	<ul style="list-style-type: none"> <li>■ ET should be applied in a tankmix with an ethephon product when boll opening is desired.</li> <li>■ ET should be applied when the crop has reached the 60% open boll stage.</li> <li>■ ET should be applied in a minimum finished spray volume of 20 gallons by ground and 5 gallons by air.</li> <li>■ The second application typically occurs 7 days after initial application.</li> </ul>
	Second Shot	ET 2.75 fl oz + Gramoxone + 0.25% v/v NIS	

**NICHINO**  
AMERICA®