# STRADA PRO HERBICIDE

| Active Ingredients | |
|---|---|
| Orthosulfamuron | 42.05% |
| Halosulfuron | 11.92% |

## Late Season Use Information

- Prevents many black seeded broadleaf weeds from heading at 2.5 oz/A use rate
- **Preharvest Interval (PHI):** 48 Days
- **GPA:** 5 gal (Air), 10 gal (Ground)
- **Adjuvant:** 0.125% OSS, 0.25% NIS, or 1% COC
- **Rainfastness:** 6 Hours
- **Reentry Interval (REI):** 12 Hours

| Rate and Acres Treated | |
|---|---|
| Rate Per Acre for Strada Pro | 2.08 oz |
| lb ai/A orthosulfamuron | 0.043 |
| lb ai/A halosulfuron | 0.012 |
| Total Acres Treated Per Container (2.6 lbs) | 20 acres |
| Total Acres Treated Per Case (4 x 2.6 lbs) | 80 acres |

| University Ratings for Strada Pro | MS |
|---|---|
| Hemp sesbania (coffeebean) | 9 |
| Northern jointvetch (curly indigo) | 9 |
| Eclipta | 8 |
| Yellow nutsedge | 9 |
| Dayflower | 8 |
| Flat sedges** | 9 |

**Byrne Carpenter**
(662) 689-0681
bcarpenter@nichino.net

NICHINO

©2026 Nichino America, Inc. All rights reserved. Strada is a registered trademark of Nichino America, Inc. Always read and follow all label directions. | 888-740-7700 | www.nichino.net